

硫酸アンモニウムの添加量と%飽和

		硫酸の最終濃度 (%飽和)																
		10	20	25	30	33	35	40	45	50	55	60	65	70	75	80	90	100
		1L 中に加えるべき硫酸の量 (g)																
初濃度 %飽和	0	56	114	144	176	196	209	243	277	313	351	390	430	472	516	561	662	767
	10		57	86	118	137	150	183	216	251	288	326	365	406	449	494	592	694
	20			29	59	78	91	123	155	189	225	262	300	340	382	424	520	619
	25				30	49	61	93	125	158	193	230	267	307	348	390	485	583
	30					19	30	62	94	127	162	198	235	273	314	356	449	546
	33						12	43	74	107	142	177	214	252	292	333	426	522
	35							31	63	94	129	164	200	238	278	319	411	506
	40								31	63	97	132	168	205	245	285	375	469
	45									32	65	99	134	171	210	250	339	431
	50										33	66	101	137	176	214	302	392
	55											33	67	103	141	179	264	353
	60												34	69	105	143	227	314
	65													34	70	107	190	275
70														35	72	153	237	
75															36	115	198	
80																77	157	
90																	79	

参考 : S. P. Colonic, N. O. Kaplan, ed., "Methods in Enzymology", Vol. 1. p. 67, Academic Press (1995)